S. No.	Indicators	MoHUA Benchmark	Service Leve	Benchmarks
Wat	er Supply Services			
1	Coverage of water supply connections	100%	70	100
2	Per capita supply of water	135 lpcd	135	135
3	Extent of metering of water connections	100%	0	10
4	Extent of Non-Revenue Water (NRW)	20%	100	100
5	Continuity of water supply	24 hours	24	24
6	Quality of water supplied	100%	100	100
7	Efficiency in redressal of customer complaints	80%	80	100
8	Cost recovery in water supply services	100%	0	10
9	Efficiency in collection of water supply related charges	90%	0	10
	age management (Sewerage and Sanitation)			
1	Coverage of toilets	100%	100	100
2	Coverage of sewage network services	100%	25	55
3	Collection efficiency of the sewage network	100%	30	60
4	Adequacy of sewage treatment capacity	100%	20	45
5	Quality of sewage treatment	100%	20	50
6	Extent of reuse and recycling of sewage	20%	35	70
7	Efficiency in redressal of customer complaints	80%	45	70
8	Extent of cost recovery in sewage management	100%	30	80
9 Olid	Efficiency in collection of sewerage charges Waste Management	90%	10	45
1	Household level coverage of Solid Waste Management services	100%	100	100
2	Efficiency of collection of municipal solid waste	100%	100	100
3	Extent of segregation of municipal solid waste	100%	25	70
4	Extent of municipal solid waste recovered	80%	20	65
5	Extent of scientific disposal of municipal solid waste	100%	30	80
6	Efficiency in redressal of customer complaints	80%	80	100
7	Extent of cost recovery in SWM services	100%	20	60
8	Efficiency in collection of SWM charges	90%	25	60
torn	n Water Drainage			
1	Coverage of Storm water drainage network	100%	100	100
2	Incidence of water logging / flooding	0%	0	
	For the Performance Grant of 2018-19:	- 12-15 Alice 1795 - 1795 - 1795 - 1795 - 1795 - 1795 - 1795 - 1795 - 1795 - 1795 - 1795 - 1795 - 1795 - 1795	A G A A C C C C C C C C C C C C C C C C	30
1	Coverage of Water Supply (24 X 7) in all Public/Community Toilets	24X7) in the second	
2	Percentage of waste being processed scientifically*	100%		
pera f cor spo:	nount of waste that is disposed in landfills that have been designed ted and maintained as per standards laid down by Central agencies appliance should be expressed as a percentage of the total quantuins at landfill sites, including open dump sites. (Source: Handbook Benchmarking, MoUD, Gol, Pg 66)	es. This extent m of waste		